

Clustering

Use Hierarchical or K-Means Clustering to form clusters (groups) of observations having similar characteristics.

Hierarchical Clustering

- From an open JMP[®] data table, select Analyze > Clustering > Hierarchical Cluster.
- Select one or more numeric variables from Select Columns and click Y, Columns. Here we used the 13 numeric variables.
- 3. If available, select a Label variable.
- 4. Select the desired **method** (bottom left corner) and click **OK**.

JMP will generate:

- A **dendrogram**, showing the clusters formed at each step.
- A **scree plot**, showing the distance bridged each step.
- The **clustering history**, giving cluster statistics for each step.

Method = Ward Dendrogram 100% Bran All-Bran Al

Cereal.jmp (Help > Sample Data Folder)



Tips:

- To color clusters, to mark or save clusters, or to request other options, click the top red triangle.
- To dynamically change the number of clusters, click and drag one of the black diamonds left or right.

K-Means Clustering

- From an open JMP data table, select Analyze > Clustering > K Means Cluster.
- Select one or more numeric variables from Select Columns and click Y, Columns. Here we used 13 numeric variables. Click OK.
- 3. In the resulting Control Panel, choose K Means Cluster Under Method.
- 4. Enter the number of clusters. Click Go. Here we chose 3.

JMP will generate:

- A summary of the cluster sizes.
- Tables of cluster means and standard deviations for each variable.

Tips:

- To obtain biplots, parallel plots or request other options, click the red triangle for the K Means heading.
- To perform analyses for a range of cluster sizes: In the **Control Panel**, enter the lower limit in **number of clusters** and the upper limit in **range of clusters**, then click **Go**.
- To step through the formation of the clusters: In the **Control Panel**, check **Single Step** then click **Go**.

