

Classification Trees (Partition)


Use to build a partition-based model (Decision Tree) that identifies the most important factors that predict a categorical outcome (classify) and use the resulting tree to make predictions for new observations.


Classification Trees

- From an open JMP[®] table, select Analyze > Predictive Modeling > Partition.
- 2. Select a nominal or ordinal response variable from **Select Columns** and click **Y**, **Response**.
- 3. Select explanatory variables and click **X**, **Factor**.
- 4. If desired, enter the **Validation Portion** or select a validation column and click **Validation** (**JMP Pro only**). A randomly selected validation set of 30% was used in this illustration. Thus 70% for training.
- In JMP Pro only, select the tree Method: Decision Tree (the default),
 Bootstrap Forest, Boosted Tree, K Nearest Neighbors or Naive Bayes.
- Click OK.
 JMP initially displays a graph showing the proportion of observations in each response level.
- Click the **Split** button. The observations will be split into two nodes, or leaves. The graph will update to reflect the split and a tree diagram describing the split in more detail will be created.
 - Note: Click on the **top red triangle** and select **Display Options > Show Split Counts** to show **Counts, Rates** (proportion of observations) and **Probs** (predicted probabilities) in each leaf.
- 8. Click **Split** to continue additional splits. Click **Prune** to remove a split. If a validation set is used, click **Go** to perform automatic splitting and pruning optimizing the fit on the validation data.

Interpretation for the first two splits (Response is Claim (Y/N)):

- There are 1,179 obs in the left leaf, corresponding to AgeClass(Young). 768 of those (65.1%) are Claim(Y/N) = N and 411 (34.8%) are Claim(Y/N) = Y.
- There are 12,758 obs in the right leaf, corresponding to AgeClass(Elder). The response rate is 90.2% for N and 9.8% for Y in that node.
- For the 12,758 observations in the AgeClass(Elder), the second split, based on the Rating Class variable, is at Rating Class (D,C) and Rating Class (B, A).





Notes:

For additional options, such as **Column Contributions**, **ROC** and **Lift Curves**, click the **top red triangle**. Other options, such as **Save Prediction Formula** and **Make SAS** DATA Step, are available from the **top red triangle** > **Save Columns**.

Select **Decision Threshold** under the **top red triangle** to display correct and incorrect classification rates for the model including the ability to evaluate those rates under different cutoff values. The default is 50%.

Visit **Predictive and Specialized Models > Partition Models** in **JMP Help** to learn more.