

# Setting SAS® Integration Preferences

Specify how JMP® works with SAS by modifying the default SAS Integration settings. For information on connecting to SAS, see the **Connect to SAS** one-page guides under **Using SAS from JMP**.

## Setting SAS Integration Preferences

From an open JMP window, select **File > Preferences** (or **JMP > Preferences** on a Mac). Under Preference Group select **SAS Integration**.

Selection options include the following:

1. **SAS Server Version:** Select the version of the SAS server you will be connecting to. This option does not apply when connecting to SAS on a local machine.

**I want to connect directly to a SAS Metadata Server** is checked by default. Clear this option if you do not have a SAS Metadata Server available.

2. **SAS Submit Options**

- a. Select **Automatically Generate ODS Results** if you want to generate Output Delivery System (ODS) results. You may specify:
  - **ODS Result Format:** HTML, RDF, PDF or JMP report.
  - **ODS Style:** The style name for ODS reports (Statistical is the default).
  - **ODS Style Sheet:** The style sheet name for ODS reports.
  - **Prompt if results are larger than:** The size in MB. If exceeded, will prompt to continue or cancel.
  - **Graphics Format:** ActiveX (Windows only), Java, PNG, JPEG or GIF.
  - Select **Generate ODS statistical graphics** to include statistical graphics in ODS reports.
- b. **Import generated SAS data sets into JMP:** If selected, any SAS data sets generated by submitted SAS code will automatically be imported into JMP. Large data sets prompt for confirmation.

3. **SAS Data Import:** You can select to


- a. **Use SAS variable labels for column names during data import** (instead of SAS column names).
- b. **Convert SAS custom formats to JMP value labels** when importing.
- c. **Warn before closing unsaved imported data** (triggers to save before closing).

4. **Stored Process Results:** Specify the following formats:

- a. **Format** (of reports): HTML, RTF or PDF.
- b. **Graph Format:** ActiveX (Windows only), Java, PNG, JPEG or GIF.

5. **Show SAS Log:**

- a. **Always, Never** or **On Error**.
- b. **Location:** In the JMP Log window, or in a separate window.



Note: For more information on using SAS with JMP, search for “SAS integration” in **JMP Help**.