



Version 14

Deployment Guide

for Annually Licensed Macintosh Versions

*“The real voyage of discovery consists not in seeking new
landscapes, but in having new eyes.”*

Marcel Proust

JMP, A Business Unit of SAS
SAS Campus Drive
Cary, NC 27513

3/26/18

The correct bibliographic citation for this manual is as follows: SAS Institute Inc. 2018. JMP® 14 Deployment Guide for Annually Licensed Macintosh Versions. Cary, NC: SAS Institute Inc.

JMP® 14 Deployment Guide for Annually Licensed Macintosh Versions

Copyright © 2018, SAS Institute Inc., Cary, NC, USA

All rights reserved. Produced in the United States of America.

SAS Institute Inc., SAS Campus Drive, Cary, North Carolina 27513-2414.

Contents

Deployment Guide for Annually Licensed Macintosh Versions

1 Installation

Delivery of the Installation Files	4
License Information	5
Staging a JMP Installation	5
License Control	6
Installing JMP	7
Running JMP the First Time	7

2 Renewing and Upgrading

Renewing Your JMP License	8
---------------------------------	---

3 Frequently Asked Questions

Index

Chapter 1

Installation

Annually Licensed Macintosh Versions

This guide is for standalone versions of JMP and JMP Pro, Version 14. For clarity, this guide uses JMP to refer to both JMP and JMP Pro. If you are using any previous version, please refer to the JMP Deployment Guide for that version.

This guide describes how site administrators can install, deploy and renew *annually licensed* versions of JMP on Macintosh. An annually licensed version of JMP is a protected version that expires at the end of a license period. The version only runs when an appropriate and valid license file is present. This file allows the use of JMP until the expiration date of the license, plus a grace period for renewal.

The basic steps to follow with a new JMP purchase are:

1. Acquire the JMP installation files. See “[Delivery of the Installation Files](#)” on page 4.
2. Adjust the license files (optional). See “[License Information](#)” on page 5.
3. Stage the installation files. See “[Staging a JMP Installation](#)” on page 5.
4. Notify users of the license file location, if necessary. See “[License Control](#)” on page 6.
5. Notify users of the location of the installation files. See “[Installing JMP](#)” on page 7.
6. Each user installs and runs JMP. See “[Running JMP the First Time](#)” on page 7.

Based on how the administrator sets up the license, the user might need to point JMP to either a SAS Installation Data (SID) file or a JMP.PER file in order to run JMP.

Prior to deploying JMP, review the additional information located at <http://www.jmp.com/administrator>.

Delivery of the Installation Files

The set of installation files is delivered to you from SAS in one of two ways:

- Most customers use Electronic Software Delivery (ESD).
- Others receive installation files on DVD.

You can discuss these options with your JMP account manager. Either way that you receive the files, they are configured in the same way. See the software order e-mail sent to you from SAS for the instructions on how to download the files. You are limited to two ESD downloads.

License Information

A validated license file is required for JMP to run. The license file is created during the installation of JMP and is named JMP.PER. The data needed to create the JMP.PER file is within a text file referred to as the SAS Installation Data (SID) file. The SID file is on the media (ESD or DVD) in the sid_files folder.

Each major version of JMP (version #.0) requires its own license file because the contents of the license file changes with each version. The license file for a version works for all subsequent maintenance releases (version #.#) of that version.

We suggest that each user keep JMP.PER in the location in which JMP installed it. However, JMP also supports storing JMP.PER in a single, centralized location for all users to access. See [“License Control”](#) on page 6 for details.

JMP reads JMP.PER for validation of license terms each time JMP is launched. All of the lines in JMP.PER are checked during the validation process. Note that the operating system is also checked because a Windows JMP.PER does not work on a Macintosh and vice versa.

License Expiration Date

When you receive your software from SAS, your license information might be set to expire after 90 days. If so, you will receive an updated SID file in an e-mail. After receiving the updated SID file, replace the SID file in the original set of installation files that you received. This ensures that all new installations will apply the new license information. You also need to update any previous installed copies of JMP. See [“Renewing Your JMP License”](#) on page 8 for details.

JMP allows a grace period of 90 days to renew. A prompt to renew the license will appear each time you launch JMP after the 45th day of the grace period. After the grace period is over, JMP will not run until a new license is applied.

Staging a JMP Installation

You can stage the JMP installation files in one of several ways:

- Copy the entire set of files from either the software depot or the original DVD to a shared network space. All users can install JMP from that single location.
- Copy the entire set of files from either the software depot or the original DVD to a DVD, and then distribute these discs to your users.
- Send the original DVD around for each user to install JMP.

License Control

The JMP installer is designed to place the license file in a user folder. If a SID file is found during installation, the JMP installer creates a JMP.PER file in the following user folder:

~/Library/Application Support/JMP/14

Alternatively, you can place a single JMP.PER file in a shared location for all users to use.

When JMP is launched, JMP searches for the JMP.PER file. If the file is not found, the user is prompted for location.

The order of the search is as follows:

1. In the Setinit_14_Path variable of the com.sas.jmp.plist file at the *root* level
2. In the Setinit_14_Path variable of the com.sas.jmp.plist file at the *user* level
3. ~/Library/Application Support/JMP/14 folder

By default, the JMP.PER file is installed in location #3. If a license file was not installed, then JMP prompts at first launch and the location that JMP points to is written to user location #2.

Strategy for installing JMP so that all users access one license file

If the administrator wants to create an install that has the license file in a common shared location for all users, that is possible with some post-installation steps. These steps can be processed with a script or within your deployment tool.

1. Install JMP 14.

JMP 14 needs to be installed with administrative rights on each machine. During installation, a text file in the sid_files folder of the software depot, if found, is read and transformed into the JMP.PER license file. The file is placed in the ~/Library/Application Support/JMP/14 folder.

2. Move the JMP.PER file from the user folder to the system folder.

For all users to access the JMP.PER file, move the file from the user folder to a system folder.

```
sudo mv ~/Library/Application\ Support/JMP/14/JMP.per  
/Library/Application\ Support/JMP/14
```

3. Create an entry in the system folder for Setinit_14_Path.

For JMP to know the location of the JMP.PER file, an entry needs to be made in the /Library/Preferences/com.sas.jmp.plist file. Create the variable Setinit_14_Path, which contains the location.

```
sudo defaults write /Library/Preferences/com.sas.jmp.plist  
Setinit_14_Path /Library/Application\ Support/JMP/14/JMP.per
```

4. Remove the entry for Setinit_14_Path in the user folder.

To clear up any previous locations that may have been set, it is a good idea to remove any reference to the JMP.PER location that might exist in the user folder.

```
sudo defaults delete ~/Library/Preferences/com.sas.jmp.plist Setinit_14_Path
```

- 5. Change the permission settings of JMP.PER so all users can access the file.

To ensure that file permissions are correct for all users to read the JMP.PER file that was moved, update the read/write permissions.

```
sudo chmod 644 /Library/Application Support/JMP/14/JMP.per
```

Installing JMP

Note: Each user who installs JMP must have administrator rights on the machine.

The JMP administrator must notify the users of the location of the installer files. Depending on how the administrator deploys the license, the users might also need to know the location of the license file. Your software depot contains the installer files needed to install JMP. JMP and JMP Pro are in separate software depots. The software depot has a folder structure for the installers based on the operating system and version of JMP. The installer files to launch are as follows:

JMP	<SAS Software Depot>/JMP/JMP/14_0/Macintosh/JMP-Install.dmg
JMP Pro	<SAS Software Depot>/JMP/JMP_Pro/14_0/Macintosh/JMP-Install.dmg

If a license file is not applied during installation, the user is asked to select the license file when JMP is launched the first time.

Running JMP the First Time

If the license file was applied during the installation, no further action is required.

If the license file was not applied during the installation, the user is prompted to select a license file.

If the user points to a JMP.PER file, the location of the JMP.PER file is stored in the Setinit_14_Path variable in ~/Library/Preferences/com.sas.jmp.plist. This means that if the JMP.PER file is later moved or deleted, the user is prompted to select a license file. This also means that if the JMP.PER file is stored on a network drive, that drive must be available to run JMP.

If the user points to a SID file, JMP uses the file to create a JMP.PER file and then saves the file to ~/Library/Application Support/JMP/14.

Chapter 2

Renewing and Upgrading JMP License

This chapter describes how to renew or upgrade your JMP license. When it is time for your license to be renewed, you will receive an e-mail from SAS with the new license data in the form of a text file attachment. This text file should be saved and used to update the license.

Renewing Your JMP License

When your license expires, you must renew your license with SAS. The account site representative receives a new SID file from SAS.

After receiving a new SID file as the renewal license from SAS, replace the SID file in the original set of installation files that you received from SAS. This ensures that all new installations from then on use the latest license.

Note: Although both the SID file and the JMP.PER file contain text that appears to be editable using a text editor, do not do so. Altering the SID file in any way destroys the integrity of the file. Once the file is destroyed, JMP cannot create the license file, and you cannot run JMP. Likewise, altering the JMP.PER file renders it useless and you must use your original SID file to restore the JMP application.

All installed copies of JMP must be updated. You can either:

- Distribute the SID file to all users.
- Create an updated JMP.PER file and distribute it to all users.
- Replace your shared network copy of JMP.PER.

To update the JMP license

1. Start JMP.
2. If JMP prompts for a new license, click Open License.

If JMP does not prompt for a new license and you want to renew the license, open a JMP script window, enter the following line, and then run the script:

```
Renew License();
```

3. Continue with the instructions below for updating with either a SID file or a JMP.PER file.

To update the JMP license with a SID file

1. At the prompt, navigate to where you saved the SID file sent to you in the e-mail from SAS.
2. Click Open.
3. (Optional) Fill in the Administrator Name and Department.
4. Click OK.

To update the JMP license with a JMP.PER file

1. At the prompt, navigate to the new JMP.PER file.
2. Click Open.

Chapter 3

Frequently Asked Questions

JMP Installation

This chapter answers some frequently asked questions about JMP that you might find useful.

What if I need to run JMP on my laptop away from the network location where the JMP.PER file is kept?

If a single JMP.PER file is kept in a network folder for everyone's use and you need to run JMP on a laptop without a connection to the network, you can do so for a limited time using a *temporary license*. Before doing so, you must run JMP on your laptop while connected to the network so that you can point JMP initially to a valid JMP.PER file.

1. Connect your laptop to the network.
2. Start JMP to ensure that JMP on your laptop has access to the latest license file on the network.
3. Close JMP.

Later, when you start JMP away from your network, JMP runs using a temporary license for ninety days. After ninety days, you need to reconnect to the network.

Note: You must run JMP with a valid license file before disconnecting from the network. Otherwise, JMP will not run when disconnected.

How do I obtain maintenance upgrades to JMP software?

Maintenance upgrades are available from the JMP website (http://www.jmp.com/support/downloads/jmp_software_updates.shtml).

Can I have two different versions of JMP installed on my computer at the same time?

Yes. JMP 14 can be installed on a computer with a previous version of JMP. The installation of JMP 14 does not remove the previous version and both versions are operable.

Who should I contact when my JMP license expires or is about to expire?

Contact your local internal JMP site representative or support personnel. The site representative should then contact their SAS Contracts representative for an updated license file.

Where can I find a Quality Statement concerning JMP?

JMP uses a variety of methods to see, to the extent possible, that the software produces accurate, reliable and numerically precise results. To assist customer validation or operational qualification (OQ) efforts, JMP provides a set of tests based on the Standards and Technology Statistical Reference Data (StRD) sets in an extensible framework, available for download. JMP also provides a tool for verifying that JMP software has been installed and maintained to the manufacturer's specifications. This tool verifies the integrity of each installed file and provides a report detailing the results. This information is available from the JMP website (<http://www.jmp.com/software/qualitystatement.shtml>).

How do I report a problem I am having with JMP?

There are four ways that you can access SAS Technical Support:

- Telephone Support: You can receive telephone support by calling (919) 677-8008 between 9:00 AM and 5:00 PM Eastern Time.
- E-mail Support: You can communicate with SAS Technical Support by sending an e-mail to support@jmp.com. You can send messages 24 hours a day, seven days a week. You can use this method to report new problems and supply additional information to previously tracked problems.
- Internet Support: JMP Technical Support's website (<http://www.jmp.com/support/index.shtml>) offers a range of tools, tips, and information that is designed to help you solve your problem. You can search our Knowledge Base, browse our FAQ library, and use our FTP site to obtain technical information, fixes, and samples. You can also contact Technical Support by filling out an online Problem Report.
- Fax Support: You can fax your problem to (919) 677-4444. You can fax a problem 24 hours a day, 7 days a week.

If you are an international customer and are in need of technical support, please contact your local SAS international office.

When contacting Technical Support, please have the following information available:

- Your JMP site license number.
- The JMP version that you are using.
- For graphics problems, the brand and model of the graphics card and the version of the graphics driver might be helpful.

How do I locate my JMP site license number?

To obtain the site license number, select About JMP in the JMP menu.

How does JMP find the PER file to use?

When JMP is launched, the order of search for the PER file is as follows:

- Use the value of the Setinit_14_Path variable of the com.sas.jmp.plist file at the *root* level
- Use the value of the Setinit_14_Path variable of the com.sas.jmp.plist file at the *user* level
- ~/Library/Application Support/JMP/14 folder

A user can run a one-line script to print to the log the exact location of the PER file used by JMP.

```
Show License Path();
```

Index

Deployment Guide for Annually Licensed Macintosh Versions

I

installation

staging [5](#)

two versions [10](#)

installation files

delivery [4](#)

locations [7](#)

J

JMP.PER [5–7](#)

L

license

expired [5](#), [10](#)

overview [5](#)

renewing [8](#)

Q

Quality Statement [11](#)

R

renewing JMP license [8](#)

running JMP [7](#)

S

SID file [5](#), [8](#)

T

Technical Support [11](#)

U

upgrading JMP [10](#)